



NOTE:

1. Electricity, telephone and water mains to be located in the same footpath to allow suitable servicers to alternate block boundaries on the opposite side of the street.
2. Electricity and telephone are to service the same boundary and water to service the other boundary of a block.
3. All service conduits to be marked on the face of kerb with brass discs. PSMs also to be cast into top of kerb and channel.
4. Maintain cover to services as required by service authority - generally 600mm min.

APPLICABILITY TABLE							
Council	BSC	CHRC	GRC	IRC	LSC	MRC	RRC
Applicable	No	No	Yes	No	No	No	No
Applicable DWG	CMDG-R-031						

REVISIONS	DATE
C	CROSSFALL CHANGED 06/2022
B	IRC ADDED 12/2016
A	NEW DRAWING 02/2010

DISCLAIMER.
The authors and sponsoring organisations shall have no liability or responsibility to the user or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused, directly or indirectly, by the adoption and use of these Standard Drawings including, but not limited to, any interruption of service, loss of business or anticipatory profits, of consequential damages resulting from the use of these Standard Drawings. Persons must not rely on these Standard Drawings as the equivalent of, or a substitute for, project-specific design and assessment by an appropriately qualified professional.

Capricorn Municipal Development Guidelines
Incorporating:
Banana Shire Council (BSC)
Central Highlands Regional Council (CHRC)
Gladstone Regional Council (GRC)
Livingstone Shire Council (LSC)
Maranoa Regional Council (MRC)
Rockhampton Regional Council (RRC)
Isaac Regional Council (IRC)

**FOOTPATH ALLOCATION OF SERVICES
JOINT TRENCHING DETAILS**

GENERAL	
STANDARD DRAWING	A3
CMDG-R-031A	
REV.	A B C