






GEOMETRIC STANDARDS
Scale NTS



LONGITUDINAL GRADES OF PATHS
Scale NTS



MAXIMUM CROSSFALL OF PATHS
Scale NTS

NOTES:

1. Path grades and landings to be in accordance with AS 1428.1. In instances where it is not practical, landings may be admitted with the approval of the LGA.
2. Tactile indicators to be provided in accordance with AS 1428.4.
3. The gradient of walkways and ramps between landings shall be constant. Ramps shall have landings at changes in direction.
4. Where the length of ramp exceeds 1.52m it shall be installed at a maximum grade of 1:14.
5. Refer to CMDG-R-058 for surface finish, joint/ reinforcement details and material specifications.
6. Thickness to be increased at vehicular crossings in accordance with driveway standard drawings. Provide a joint at both ends of thickened section.
7. Concrete footpaths joining existing driveways to be transitioned over a minimum 5.0m length.
8. All dimensions in millimetres unless shown otherwise.
9. Kerb Ramps are to be provided in accordance with AS1428.1
10. Refer to CMDG Design Specification D1 for pathway widths.

APPLICABILITY TABLE

Council	BSC	CHRC	GRC	IRC	LSC	MRC	RRC
Applicable	Yes	Yes	Yes	Yes	Yes	Yes	Yes

REVISIONS	DATE
G NOTE 1 REVISED	08/2022
F ADDITIONAL NOTES & NEW SECTION	05/2022
E IRC ADDED	12/2016
D GRC AND LSC ADDED	09/2014
C MRC ADDED	04/2011
B GRADE AMEND TO 1:4 MAX & FIBRE CONCRETE	07/2010

DISCLAIMER.
The authors and sponsoring organisations shall have no liability or responsibility to the user or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused, directly or indirectly, by the adoption and use of these Standard Drawings including, but not limited to, any interruption of service, loss of business or anticipatory profits, of consequential damages resulting from the use of these Standard Drawings. Persons must not rely on these Standard Drawings as the equivalent of, or a substitute for, project-specific design and assessment by an appropriately qualified professional.

Capricorn Municipal Development Guidelines

Incorporating:

Banana Shire Council (BSC)
Central Highlands Regional Council (CHRC)
Gladstone Regional Council (GRC)
Livingstone Shire Council (LSC)

Maranoa Regional Council (MRC)
Rockhampton Regional Council (RRC)
Isaac Regional Council (IRC)

**CONCRETE PATHWAY/CYCLEWAY
DETAILS**

ROADS	
STANDARD DRAWING	A3
CMDG-R-051	
REV.	B C D E F G