



**CROSS SECTION
SEPARATED SERVICE LOCATIONS**

* Dependant on the width of footpath
road as per hierarchy or permit condition

NOTES

1. No pits or manhole covers for power, telephone, water, sewerage and drainage services shall be placed within the carriageway unless approved by the director of technical services.
2. Trimming and compaction of the subgrade is to be completed and approved before excavation for the service conduits is commenced. excavation material shall be thrown on the footpath and not on the subgrade.
3. Service conduit alternatives:-100 Ø Concrete/FR pipes (S.F.) Class C or S (R.R.J.) 100Ø uPVC, Class 12
4. On wider footpaths, positions of services except stormwater, and signs are to be fixed by measurement from the property alignment.
5. Where practical, stormwater drainage is to be located between lip of channel and space allocated for poles. Sub-soil drainage is to be located under kerb & channel when required.
6. Location and width of concrete footpath where ordered shall be determined by the director of technical services.
7. For service conduits other than water, similar construction is to be utilised but with minimum depths of 750mm or as specified by relevant authorities.

APPLICABILITY TABLE							
Council	BSC	CHRC	GRC	IRC	LSC	MRC	RRC
Applicable	No	No	Yes	No	No	No	No
Applicable DWG	CMDG-R-101						

Based on BCC Standard Drawing WS-10-2.

REVISIONS	DATE
C IRC ADDED	12/2016
B FOOTPATH DIMENSIONS AMENDED	03/2015
A NEW DRAWING FOR GRC	01/2015

DISCLAIMER.
The authors and sponsoring organisations shall have no liability or responsibility to the user or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused, directly or indirectly, by the adoption and use of these Standard Drawings including, but not limited to, any interruption of service, loss of business or anticipatory profits, of consequential damages resulting from the use of these Standard Drawings. Persons must not rely on these Standard Drawings as the equivalent of, or a substitute for, project-specific design and assessment by an appropriately qualified professional.

Capricorn Municipal Development Guidelines
Incorporating:
Banana Shire Council (BSC) Livingstone Shire Council (LSC)
Central Highlands Regional Council (CHRC) Maranoa Regional Council (MRC)
Gladstone Regional Council (GRC) Rockhampton Regional Council (RRC)
Isaac Regional Council (IRC)

ROADS
STANDARD
DRAWING
CMDG-R-101A
REV. A B C

PUBLIC UTILITIES IN STREETS
TYPICAL SERVICE CONDUIT SECTIONS